# **Non Equilibrium Statistical Physics - TD 2**

### 1 Fluctuation-Dissipation theorem : polarizability of a dielectric Particle

We consider a dielectric particle much smaller than the excitation wavelength. In presence of a static electric field  $\vec{\mathcal{E}}_0$ , the particle has a dipole moment  $\vec{p}_0$  given by its static susceptibility  $\chi_0$ ,

$$\langle \vec{p}_0 \rangle = \chi_0 \vec{\mathcal{E}_0}$$

When the electric field is switched off, the amplitude of the dipole moment decays exponentially with a time constant  $\tau = 1/\gamma$ .

Complex susceptibility

- 1) Derive the relaxation function  $\Psi(t)$  and the linear response  $\chi(t)$
- 2) Show that the complex susceptibility is  $\chi(\omega) = \frac{\chi_0}{1-i\omega\tau}$

Fluctuations of of the dipole moment

- 3) Using  $\Psi(t)$ , derive the temporal correlation function for the dipole moment
- 4) Plot the correlation function from  $t = -\infty$  to  $t = +\infty$
- 5) Applying the fluctuation-dissipation theorem, derive the power spectral density of the dipole moment fluctuations.

# 2 Kappler's experiment

In order to study experimentally the probability distribution in the canonical ensemble, Kappler measured the thermal fluctuations of the angular position of a mirror suspended by a torsion wire. The system is modeled by its moment of inertia J, the torsion coefficient C and the mirror rotation angle  $\theta$ . The conjugate variables in phase space are the angle  $\theta$  and the angular momentum  $p = J\dot{\theta}$ .

#### 2.1 Equilibrium fluctuations

- 1) Define the state of the system in a classical framework.
- 2) The energy of the system is  $\frac{J\dot{\theta}^2}{2} + \frac{C\theta^2}{2}$  Using energy conservation, derive the equation of motion of the oscillator. What is the frequency of the oscillator?
- 3) What is the classical approximation validity condition?
- 4) What is the canonical probability for the system to be in state  $(\theta, p)$  within  $d\theta dp$ ? Write the partition function using T, J and C.
- 5) Derive the mean energy from the expression of the partition function you just obtained from 4).
- 6) Calculate the quadratic mean value of the angle  $\theta$ ,  $\langle \theta^2 \rangle$ . Comment.

## 2.2 Temporal correlation of fluctuations from the Fluctuation-Dissipation theorem

- 1) Write the equation of motion in harmonic regime including fluid friction damping  $-\gamma J\dot{\theta}$  and an external driving torque  $C_0\exp(-i\omega t)$ .
- 2) Derive the susceptibility  $\chi(\omega)$  and the power spectral density  $I_{\theta}(\omega)$  for the fluctuations of  $\theta$ .
- 3) Derive the temporal correlation function  $C_{\theta\theta}(t)$  of the angular fluctuations in integral form.